

Virtual Reality Lifelog Explorer: A Prototype for Immersive Lifelog Analytics

Aaron Duane
IT University of Copenhagen
Denmark
aadu@itu.dk

Björn Thór Jónsson
IT University Copenhagen
Denmark
bjth@itu.dk

Cathal Gurrin
Dublin City University
Ireland
cathal.gurrin@dcu.ie

Abstract—The Virtual Reality Lifelog Explorer is a prototype for immersive personal data analytics, intended as an exploratory effort to produce more sophisticated virtual or augmented reality analysis prototypes in the future. An earlier version of this prototype competed in, and won, the first Lifelog Search Challenge (LSC) held at ACM ICMR in 2018.

1. Introduction

In this demonstration paper we present the Virtual Reality Lifelog Explorer (VRLE) [1], a prototype for immersive analysis of lifelog data, which participated in and won the first Lifelog Search Challenge (LSC) [2] held at ACM ICMR in 2018. Unlike the majority of lifelog interaction applications, which typically appear on personal computers, and a few other mainstream platforms [3], [4], VRLE is designed for lifelog interaction in virtual reality. It was developed as a baseline for common lifelog interaction use cases and how they might be migrated to virtual reality to explore their effectiveness in comparison to more conventional lifelog interaction systems.

2. User Interface

VRLE’s primary user interface is a virtual 3D interface designed to provide a quick and efficient means for a user to generate a filter query within the virtual environment. The interface consists of two sub-menus, one for selecting lifelog concepts of interest and the second for adjusting the temporal aspect of the query (e.g. hours of the day or days of the week). A typical lifelog query, such as ‘using the computer on a Saturday afternoon’ could be generated by using the concept sub-menu to select the appropriate visual descriptors (e.g. computer or laptop) and the temporal sub-menu to select the range of time (afternoon) and the day of the week (Saturday). The querying interface is available for the user to access at any time by pressing a dedicated button on either of the two VR handsets. When the user submits their query, the interface disappears and the user is free to explore or browse the results within the virtual space.

To interact with visual elements within the virtual environment, we implemented a very direct form of interaction, where the user can physically touch the virtual




Figure 1. Contact-Based User Interaction

interface using their controllers. To facilitate this process, the controllers are outfitted with a virtual drumstick-like appendage protruding from the head of each controller (see Figure 1). This object was added to enhance precision and fidelity when contacting interface elements. This method of interaction is reminiscent of a more conventional style of lifelog browsing where the controller drumstick mimics how our fingers interact with a keyboard or touchscreen. Tactile feedback is provided through the handsets’ rumble settings to signify hitting the keys.

3. Data Visualisation

VRLE was designed to target the LSC test collection [2] which contains a continuous stream of images captured from the perspective of an individual lifelogger. Any one of these thousands of images could represent a potential cue to promote autobiographical memory, or in the context of the LSC, serve as the goal of a known-item search task. The latest iteration of the VRLE prototype uses an event-based visualisation strategy where an event is defined as a sequence of lifelog images and metadata that corresponds to semantically and temporally related real-life activities. The search engine which supports the ranking of events for the VRLE prototype is provided by Duyen et al. [5] and follows an architecture which is typical of state-of-the-art lifelog search engines [6] as depicted in Figure 2.

When visualising the lifelog data within the virtual space, we determined that due to the quantity of visually similar images within a typical event, displaying every image to the user at once can inhibit effective retrieval rather

